

LED OPEN Sign



Description:

This LED OPEN sign is widely used in commercial retail stores, such as convenient stores, restaurants, café, bars, game room etc. It emits vivid light, eye-catching and visually very appealing. It is the ideally advertisement for commercial business.

Energy Saving and long lifespan.

It adopts high quality LED lamp, saving more than 50% energy than the traditional neon sign, long life span, up to 50,000 hours, it has very less lumen depreciation due to the excellent design. LED beams are full of the sign, which delivery a uniform and comfortable light. The letters are 12V DC working voltage, safe to use.

Three size for option.

EPL LED OPEN Sign are available in Large(18x51"), Medium(15x43"), Small (10x30")size, good for different size stores, windows.

Easy for installation.

The OPEN sign is well assembled on top and bottom bar, super easy to install, saving labor cost for installation. It comes with DIY chain and screws, easy to hang. Standard US plug, with switch to turn on/off.

Technical Parameters:

| Model | Width * Length (inches) | Wattage | CCT | Lumen / (lm) | CRI | Input Voltage | Working voltage | LED Quantity | IP Rate |
|------------|-------------------------|---------|-------|--------------|-------|----------------------|-----------------|--------------|---------|
| OPEN-100/5 | 18x51" | 60W | 5000K | 7833 | >80Ra | 108-132V AC, 50/60HZ | 12V DC | 576PCS | Ip20 |
| OPEN-200/5 | 15x43" | 40W | 5000K | 5873 | >80Ra | 108-132V AC, 50/60HZ | 12V DC | 576PCS | Ip20 |
| OPEN-300/5 | 10x30" | 20W | 5000K | 2820 | >80Ra | 100-120V AC, 50/60HZ | 12V DC | 316PCS | Ip20 |

Dimension drawing:

Large Open(18"x51", 18x12" for each letter)

O P E N

Medium Open(15"x43" , 15x10" for each letter)

O P E N

Small Open(10"x30" , 10"x6.75" for each letter)

O P E N

Installation requirements:

- 1.The LED Sign is designed for indoor place use only.
- 2.Make sure the power is off before installation.
- 3.Please handle the sign carefully, avoiding to crash the LED beads.
- 4.Please make sure light up the sign no more than 10 hours per day to extend its lifespan.

Warning

1. Please read the instruction carefully before installation, make sure the using environment conform to instruction.
2. Please make sure the input voltage of power supply is 108-120V AC, 50/60Hz.
3. If there is any damage to the power wire or shell of the product, it should be taken as defective product and do NOT use it, do NOT try to install or repair, please contact the manufactory or local agency.
4. Dangerous high voltage, non-professionals are not allowed to maintain the product.
5. If there is any damage of product, it should be replaced by manufacturer or service agent or personnel with similar qualification to avoid danger.
6. Please do NOT let water enter the product, please do NOT collide with the LEDs' surface.
7. Corrosivity environment, and outdoor site application are prohibited.